

FIG. 2 (PRIOR ART)





FIG. 3






FIG. 4A






FIG. 4B








FIG. 6A




FIG. 6B





FIG. 7



>




FIG. 9

FIG. 10




FIG. 11A




FIG. 11B

FIG. 12

```
/// The method reads the store and creates the ICodeGenerationInput needed for
                                                                                                                                                                                     /// <param name="input">ICodeGenerationInput defines the data needed for cod-
                                                                                                                                                                                                                                                               /// <returns>The GeneratedCodeWithWritableArePositions.</returns>
                                                                                                              /// The method returns a GeneratedCodeWithWritableArePositions.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ICodeGenerationInput CreateCodeGenerationInput();
                                                                                                                                                                                                                                                                                                    GeneratedCodeWithWritableAreaPositions
                                                                                                                                                                                                                                                                                                                                            GenerateCode(ICodeGenerationInput input);
                                                                                                                                                                                                                                                                                                                                                                                                                                           public interface IModelBasedCodeGenerator
public interface ICodeGenerator
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        /// <returns></returns>
                                                                                                                                                    /// </summary>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    /// </summary>
                                                                               /// <summary>
                                                                                                                                                                                                                               generation.</param>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         /// <summary>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  code generation.
```

## FIG. 13




FIG. 14





FIG. 15






FIG. 17

[Order][OrdersodDate][OrdersodDate][WEMBER_CAPT10N]     Wessures] & FACT_Product_Produ	3119 56424.86	[hull]	(rud)	(ruf) 100.5	(pru)	(rud) 40.4	(rufl) 30.8	(Luft)	(nul)	(rull) 59.9	(had) 57.8	(nedd) 28.8
ø][MEMBER_CAPTION] ∥[Measu	3119		(fuel)	(fud)	(bud)	(Incr)	(Indi)	(Fr.)	(lbr)	(Inul)	(fru)	(Brall)
[Order] [OrderedDate] [OrderedDate	찍	1996-07-04 00:00:00	1996-07-05 00:00:00	1996-07-08 00:00-00	(** 1996-07-09 00:00:00	1996-07-10 00:00:00	1996-07-11 00:00:00	1996-07-12 00:00:00	1996-07-15 00:00:00	1996-07-16 00:00:00	1996-07-17 00:00:00	1996-07-18 00:00:00

## FIG. 18




FIG.\_/




FIG.\_20

╀




FIG. -23





FIG. -35 Ready

╄-






FIG. 27









FIG. 28











+

